Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 1 - Chemical Product and Company Identification * * *

Chemical Name: Sodium Thiosulfate Pentahydrate, Technical Grade

Product Use: For Commercial Use

RESTRICTIONS on USE

NOT TO BE USED AS A PESTICIDE. THIS PRODUCT IS NOT TO BE USED IN VIOLATION OF ANY PATENTS. CHEM ONE LTD. DISCLAIMS ANY AND ALL WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR APPLICATION. IN NO EVENT SHALL CHEM ONE LTD. OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER INCLUDING DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN IF CHEM ONE LTD. OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME STATES DO NOT ALLOW THE EXCLUSION OF LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES SO THE FOREGOING LIMITATION MAY NOT APPLY.

Supplier Information

Chem One Ltd. 14140 Westfair East Drive Houston, Texas 77041-1104 Phone: (713) 896-9966 Fax: (713) 896-7540

Emergency # (800) 424-9300 or +1 (703) 527-3887

NOTE: Emergency telephone numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to customer service.

* * * Section 2 - Hazards Identification * * *

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Classification of the substance or mixture: Not a hazardous substance or mixture.

Label elements, including precautionary statements: Not a hazardous substance or mixture.

Hazards not otherwise classified (HNOC) or not covered by GHS: MAY CAUSE EYE AND SKIN IRRITATION. RELEASES TOXIC, IRRITATING GAS AT HIGH TEMPERATURES (100 deg. C). MAY CAUSE ALLERGIC SKIN REACTIONS.

* * * Section 3 - Composition / Information on Ingredients * * *						
CAS#	Component	Percent				
10102-17-7	Sodium Thiosulfate Pentahydrate	> 90				

Synonyms: Chlorine control, Declor-it, Disodium thiosulfate, S-hydril, Sodium hyposulfite, Sodium oxide sulfide, Antichlor, Sodothiol, Sulfothiorine, Ametox

* * * Section 4 - First Aid Measures * * *

Emergency Overview

Sodium Thiosulfate Pentahydrate is a colorless solid found in crystalline or powder forms. May cause irritation to the eyes, skin, and mucous membranes of the upper respiratory tract. Keep material away from sodium nitrite and metal nitrates. Product is not combustible. Use extinguishing media appropriate for surrounding fire. Thermal decomposition of this product produces irritating vapors and toxic gases (e.g. sulfur oxides). At 100 degrees C, highly irritating sulfur dioxide gas is given off. Sulfur dioxide is toxic, corrosive, flammable and a strong oxidizer. Emergency responders should wear proper personal protective equipment for the releases to which they are responding.

Hazard Statements

WARNING! MAY CAUSE EYE AND SKIN IRRITATION. RELEASES TOXIC, IRRITATING GAS AT HIGH TEMPERATURES (100 deg. C). MAY CAUSE ALLERGIC SKIN REACTIONS. Avoid contact with eyes and skin. Avoid breathing dusts. Avoid exposure of material to high temperatures. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation.

Issue Date: 09/09/98 10:48:51 CLW Page 1 of 8 Revision Date: 02/09/2015 SJC

Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 4 - First Aid Measures Continued * * *

Potential Health Effects: Eyes

Exposure to particulates or solution of this product may cause irritation of the eyes with symptoms such as stinging, tearing, redness and pain.

Potential Health Effects: Skin

This product can cause irritation of the skin, especially after prolonged exposures. Repeated skin contact may lead to dermatitis (red, cracked skin). In sensitive individuals, exposure to this product can cause allergic reaction.

Potential Health Effects: Ingestion

Ingestion of this product (especially in large volumes) can irritate the tissues of the mouth, esophagus, and other, digestive system. Symptoms of exposure can include vomiting, diarrhea, and nausea and systemic effects of anosis. Large doses by ingestion can also have a cathartic action, causing diarrhea.

Potential Health Effects: Inhalation

Breathing dusts or particulates generated by this product can lead to irritation of the nose, throat or respiratory system. Symptoms of such exposure could include coughing, sneezing, and chest discomfort. Inhalation of vapors and filmes given off when Sodium Thiosulfate Pentahydrate is heated above 100 degrees C, (sulfur dioxide gas) will cause significant imitation.

First Aid: Eyes

In case of contact with eyes, rinse immediately with plenty of water for at least 20 minutes. eek immediate medical attention.

Remove all contaminated clothing. For skin contact, wash thoroughly with soap and water for at least 20 minutes. Seek immediate medical attention if irritation develops or persists.

First Aid: Ingestion

DO NOT INDUCE VOMITING. If swallowed, wash out mouth water provided person is conscious. Never give anything by mouth to a victim who is unconscious or having convulsions. Contact applysician or poison control center immediately.

First Aid: Inhalation

Remove source of contamination or move victim to fresh air. Apply artificial respiration if victim is not breathing. Do not use mouth-to-mouth method if victim ingested of initialed the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Administer oxygen if breathing is difficult. Get immediate medical attention.

First Aid: Notes to Physician

Provide general supportive measui and treat symptomatically.

** * Section 5 - Fire Fighting Measures

General Fire Hazards

Heating this product above 100 degrees C will release hazardous sulfur dioxide gas. Explosion hazard with sodium nitrite and metal nitrites.

Hazardous Combustion Products

Sulfur dioxide gas:

Extinguishing Media

Use methods for the surrounding fire and other materials involved in the fire.

Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self-contained breathing apparatus. If possible control runoff from fire control or dilution water to prevent environmental contamination.

Page 2 of 8 Revision Date: 02/09/2015 SJC Issue Date: 09/09/98 10:48:51 CLW

Safety Data Sheet Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 6 - Accidental Release Measures * * *

Containment Procedures

Stop the flow of material, if this can be done without risk. Contain the discharged material. If sweeping of a contaminated area is necessary use a dust suppressant agent, which does not react with product (see Section 10 for incompatibility information).

Clean-Up Procedures

essive Small releases can be cleaned-up wearing gloves, goggles and suitable body protection. In case of a large spill (in which exc dusts can be generated), clear the affected area, protect people, and respond with trained personnel. Do not allow the spilled product to enter public drainage system or open water courses. Place all spill residues in an appropriate container and seal. Thoroughly wash the area after a spill or leak clean-up. Prevent spill rinsate from contamination of storm drains,

Evacuation Procedures

Evacuate the area promptly and keep upwind of the spilled material. Isolate the spill area to prevent from entering. In case of large spills, follow all facility emergency response procedures.

Remove soiled clothing and launder before reuse. Avoid all skin contact with the spilled many Have emergency equipment readily available.

Section 7 - Handling and Storage

Handling Procedures

ndling Procedures

All employees who handle this material should be trained to handle it safely Do not breathe dust. Avoid all contact with skin and eyes. Avoid accumulation of dusts of this product. Use this product only with adequate ventilation. Wash thoroughly after handling.

Storage Procedures

Keep container tightly closed when not in use. Store containers in a cool, dry location, away from direct sunlight, sources of intense heat, or where freezing is possible. Material should be stored in secondary containers or in a diked area, as appropriate. Store containers away from incompatible chemicals (see Section 10, Stability and Reactivity). Storage areas should be made of corrosion- and fireresistant materials. Post warning and "NO,SMOKING" signs in storage and use areas, as appropriate. Use corrosion-resistant structural materials, lighting, and ventilation systems in the storage area. Floors should be sealed to prevent absorption of this material. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Have appropriate

extinguishing equipment in the storage area (i.e. sprifikler system, portable fire extinguishers).

Empty containers may contain residual particulates; therefore, empty containers should be handled with care. Do not cut, grind, weld, or drill near this container. Never store food, feed, or drinking water in containers that held this product. Keep this material away from food, drink and animal feed. Do not store this material in open or unlabeled containers. Limit quantity of material stored.



Issue Date: 09/09/98 10:48:51 CLW

Page 3 of 8

Revision Date: 02/09/2015 SJC

Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 8 - Exposure Controls / Personal Protection * * *

Exposure Guidelines

A: General Product Information

Sulfur dioxide, which may be released at high temperatures, has an OSHA established exposure limit of 2 ppm TWA and 5 ppm STEL (15 minutes). NIOSH has recommended an exposure limit of 2 ppm TWA and has established a level of 100 ppm as Immediately Dangerous to Life and Health (IDLH).

B: Component Exposure Limits

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components. The exposure limits given are for Particulates Not Otherwise Classified.

OSHA: 15 mg/m³ TWA (Total dust) 5 mg/m³ TWA (Respirable fraction)

4 mg/m³ TWA (Inhalable fraction) DFG MAKs

1.5 mg/m³ TWA (Respirable fraction)

Engineering Controls

Use mechanical ventilation such as dilution and local exhaust. Use a corrosion-resistant ventilation system and exhaust directly to the outside. Supply ample air replacement. MON.

PERSONAL PROTECTIVE EQUIPMENT

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132). Please reference applicable regulations and standards for relevant details.

Personal Protective Equipment: Eyes/Face

Wear safety glasses (or goggles). If necessary, refer to U.S. OSHA 29 CFR 1910.133.

Personal Protective Equipment: Skin

Wear impervious gloves, boots and coveralls to avoid skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138.

A CONTRACTOR

Personal Protective Equipment: Respiratory

No specific guidelines are available. If airborne concentrations are above the applicable exposure limits, use NIOSH-approved respiratory protection. An approved dustand mist air-purifying respirator may be adequate. If respiratory protection is needed, use only protection authorized in the U.S. Federal OSHA Standard (29 CFR 1910.134), applicable U.S. State regulations. Oxygen levels below 19.5% are considered IDLH-by OSHA in such atmospheres, use of a full-facepiece pressure/demand SCBA or a full facepiece, supplied air respirator with auxiliary self-contained air supply is required under OSHA's Respiratory Protection Standard (1910.134-

Personal Protective Equipment: General

Wash hands thoroughly after handling material. Do not eat, drink or smoke in work areas. Have a safety shower or eye-wash fountain available.

Protective Clothing Pictograms:









Issue Date: 09/09/98 10:48:51 CLW

Page 4 of 8

Revision Date: 02/09/2015 SJC

Product #: 558646 From: BRENNTAG MID-SOUTH INC. To: COASTAL CAROLINA SUPPLY * Mond ay, July 25, 2016

Safety Data Sheet

Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 9 - Physical & Chemical Properties * * *

Physical Properties: Additional Information

The data provided in this section are to be used for product safety handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

Appearance:

White crystalline or powder

Solid Zero

Physical State: Vapor Pressure:

Boiling Point: Solubility (H2O):

Softening Point: FlashPoint: Auto Ignition:

Decomposes above 100 deg C 42% by wt. @ 0 deg C

Not applicable Not flammable Not applicable Odor: pH:

6.5-8.0 (1% solution) Not applicable

Vapor Density: Freezing/Melting Point: 118 deg B (48 deg) Specific Gravity:

Particle Size:

Not determined lőt applicab

Bulk Density: ot applicab Method Used:

Section 10 - Chemical Stability & Reactivity Information

Chemical Stability

Product is normally stable in solid form. May be unstable in solution. Sodium Thiogulfate is hyperscopic; on exposure to air it will absorb water.

Chemical Stability: Conditions to Avoid

Avoid high temperatures, exposure to air, moisture and incompatible materials.

Sodium Thiosografic can react violently with Sodium Nitrite. Sodium This material is incompatible with strong oxidizers and acids. Thiosulfate is also incompatible with mercury and iodine

Hazardous Decomposition

Sulfur oxides and hydrogen sulfide.

Hazardous Polymerization

Will not occur.

Section 11/- Toxicological Information * * *

Acute and Chronic Toxicity

A: General Product Information
Poisonous by intravenous route. Mildly toxic by ingestion. Human systemic effects by ingestion, including cyanosis. Chronic: Long term skin over a posure to this product may lead to dermatitis (red, itchy skin).

B: Component Analysis LD50/LC50

Sodium Thiosulfate:

Intraperitoneal-Mouse LD. 5600 mg/kg; Intravenous-Mouse LD. 2350 mg/kg; Intravenous-Dog, adult LDLo: 3000 mg/kg; Intravenous-rat LD₅₀: >2500 mg/kg

C: Component Analysis - TDLo/LDLo;

Ofal-Human FDLo: 300 mg/kg/7 days: Pulmonary system effects

Carcinogenicity

Ceneral Product Information

Sodium Thiosulfate is not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.

B: Component Carcinogenicity

No information available.

Issue Date: 09/09/98 10:48:51 CLW Page 5 of 8 Revision Date: 02/09/2015 SJC

Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 11 - Toxicological Information Continued * * *

Epidemiology

Prolonged skin contact may cause allergic skin reactions (allergic dermatitis).

Neurotoxicity

No information available:

Mutagenicity

No information available.

Teratogenicity

No information available.

Other Toxicological Information

Thiosulfate occurs naturally in the body.

* * * Section 12 - Ecological Information

Ecotoxicity

A: General Product Information

This compound may be harmful to aquatic life in high concentrations.

B: Aquatic Toxicity

No information available.

Environmental Fate

No potential for food chain concentration.

* * * Section 13 Disposal Considerations * * *

US EPA Waste Number & Descriptions

A: General Product Information

As shipped, this product is not considered a hazardous waste.

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

All wastes must be handled in accordance with local, state and federal regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

*** Section 14 - Transportation Information * * *

NOTE: The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under I.M.O. I.C.A.O. (I.A.T.A.) and 49 CFR to assure regulatory compliance.

US DOT Information

Shipping Name: Not applicable.
Hazard Class: Not applicable

UN/NA #: Not applicable Packing Group: Not applicable

Required Label(s): Not applicable RQ Quantity: Not applicable

56th Edition International Air Transport Association (IATA) For Shipments by Air transport: Not considered hazardous.

37-14 International Maritime Organization (I.M.O.) Classification LM.O. Classification: Not considered hazardous under IMDGI.M.O.regulations

Issue Date: 09/09/98 10:48:51 CLW Revision Date: 02/09/2015 SJC Page 6 of 8

Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 15 - Regulatory Information * * *

US Federal Regulations

A: General Product Information

Sodium Thiosulfate (CAS # 10102-17-7) is not on the TSCA Inventory. As Sodium Thiosulfate is a hydrate, it is exempt from TSCA Inventory requirements per 40 CFR 720.3 (u)(2)).

B: Component Analysis

Sodium Thiosulfate is not listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) CERCLA (40 CFR 302.4).

SARA 302 There are no specific Threshold Planning Quantities for Sodium Thiosulfate. The default Federal MSDS abundasion (EHS TPQ) and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 GHR 370:20.

C: Sara 311/312 Tier II Hazard Ratings:

OT OUT OF ALL ALTERNATION				`			
Component	CAS#	Fire	Reactivity	Pressure	/ Immediate	" Chronic	
		Hazard	Hazard	Hazard	Health Hazard	Health Hazard	
Sodium Thiosulfate	10102-17-7	No	No	No 🔨	Yes	Yes	

State Regulations

A: General Product Information

California Proposition 65

Sodium Thiosulfate is not on the California Proposition 65 chemical lists.

B: Component Analysis - State

Component	CAS#	CAJ	FL	MA	MN	NJ	PA
Sodium Thiosulfate	10102-17-7	No	No	No	No	No	No

Other Regulations

A: General Product Information

Not determined.

B: Component Analysis - Inventory

Component	11	1.1	17	CAS#	TSCA	DSL	EINECS
Sodium Thiosulfate	11	11	<i>y</i>	10102-17-7	Yes	Yes	Yes

C: Component Information (Canada)

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS#	Minimum Concentration
Sodium Thiosulfate	10102-17-7	No disclosure limit

Canadian WHMIS Classification: D2B

ANSI LABELING (Z129.1):

CAUTION! MAY CAUSE SKIN AND EYE IRRITATION. HARMFUL IF INGESTED OR INHALED. MAY CAUSE ALLERGIC REACTION IN SENSITIVE INDIVIDUALS. Avoid contact with skin, eyes, or clothing. Do not taste or swallow. Avoid breathing dusts and particulates. Use only with adequate ventilation. Wash thoroughly after handling. Wear gloves, goggles, faceshields, suitable body protection, and NIOSH-approved respiratory protection, as appropriate. FIRST-AID: In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. If inhaled, remove to fresh air. If ingested, do not induce vomiting. Get medical attention. IN CASE OF FIRE: Use water fog, dry chemical, CO of the container of the container. Consult Material Safety Data Sheet for additional information.

Issue Date: 09/09/98 10:48:51 CLW Page 7 of 8 Revision Date: 02/09/2015 SJC

Material Name: Sodium Thiosulfate Pentahydrate, Technical Grade

ID: C1-153

* * * Section 16 - Other Information * * *

Other Information

Chem One Ltd. ("Chem One") shall not be responsible for the use of any information, product, method, or apparatus herein presented ("Information"), and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this Information. In no event shall Chem One be responsible for damages of any nature whatsoever resulting from the use of this product or products, or reliance upon this Information. By providing this Information, Chem One neither can nor intends to control the method or manner by which you use, handle, store, or transport Chem One products. If any materials are mentioned that are not Chem One products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be observed. Chem One makes no representations or warranties, either express or implied of merchantability, fitness for a particular purpose or of any other nature regarding this information, and nothing herein waives any of Chem One's conditions of sale. This information could include technical inaccuracies or typographical errors. Chem One may make improvements and/or changes in the profile (s) and/or the program (s) described in this information at any time. If you have any questions, please contact using Tel. 713-896-9966 or E-mail us at Safety@chemone.com.

Key/Legend

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act, ACGIH American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health; Administration

Contact: Sue Palmer-Koleman

Revision Log

09/19/00 3:10 PM SEP Changed company name, Sect 1 and 16, from Corporation to Dtd.
06/02/01 9:31 AM Checked exposure limits; made changes to Section 9; overall review, add SARA 311/312 Hazard Ratings.
09/30/03 11:00 PM HDF General review of entire MSDS. Up-graded Section 3 Health Hazard information, HMIS categories. Update of PNOC exposure limits to Section 8. Up-Dated Section 14 Transportation Information.

Contact Phone: (713) 896-9966

08/26/04 11:23 AM HDF Revised Section 5 regarding reactivity with Sodium Nitrite

06/22/05 1:52 PM SEP Update IATA Section 14

10/22/07 4:37 PM SEP Updated IATA Section 14

10/15/08 10:26 AM DLY Changed Chem One Physical Address, Section 1

12/27/2010 2:58 PM SEP Updated IATA 02/09/2015 GHS Revision all sections

This is the end of SDS # C1-153

Revised By:

SJC Compliance Education, Inc. 16516 El Camino Real Suite 41' Houston TX 77062

Issue Date: 09/09/98 10:48:51 CLW

Page 8 of 8

Revision Date: 02/09/2015 SJC